## ERRATUM

# **BMC** Cancer

### **Open Access**



# Erratum to: Solitary plasmacytoma: population-based analysis of survival trends and effect of various treatment modalities in the USA

Nishitha Thumallapally<sup>1\*</sup>, Ahmed Meshref<sup>2</sup>, Mohammed Mousa<sup>2</sup> and Terenig Terjanian<sup>3</sup>

#### Erratum

After publication of the original article [1] the authors found the following errors had occurred:

- 1. Figure titles were incorrect:
- Figure 1 should be titled: Kaplan-Meier survival curve comparing sequence of RT in patients who received RT and surgery (Fig. 1)
- Figure 2 should be titled: Kaplan-Meier survival curve comparing patients who received RT vs. no RT (Fig. 2)
- Figure 3 should be titled: Kaplan-Meier survival curve comparing patients who received surgery vs. those that did not (Fig. 3)
- 2. In Table 6, all *P* values should be <0.001 instead of >0.001 (Table 6)

Corrected versions of these figures and tables are included in this Erratum.


\* Correspondence: nishithareddy99@gmail.com

<sup>1</sup>Department of Medicine, Staten Island University Hospital, 475 Seaview Avenue, Staten Island, NY 10305, USA





© The Author(s). 2017 **Open Access** This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (http://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated.

#### Corrected Figure 1



Corrected Figure 2





#### Corrected Table 6

 Table 6 Cox proportional hazards model for prognostic factors

Variables	Hazard ratio	95% CI		P value
		Lower	Upper	
Age < 60 years	0.380	0.330	0.440	< 0.001
Radiation sequence with surgery	1.226	.966	1.557	.094
Radiation	0.597	0.522	0.684	< 0.001
Surgery	0.746	0.693	0.802	< 0.001

#### Author details

<sup>1</sup>Department of Medicine, Staten Island University Hospital, 475 Seaview Avenue, Staten Island, NY 10305, USA. <sup>2</sup>Department of Medicine, Suez Canal University, Ismailia, Egypt. <sup>3</sup>Department of Hematology/oncology, Staten Island University Hospital, Staten Island, NY, USA.

#### Received: 13 June 2017 Accepted: 13 June 2017 Published online: 23 June 2017

#### Reference

 Thumallapally, N, Meshref, A, Mousa, M and Terjanian, T. Solitary plasmacytoma: population-based analysis of survival trends and effect of various treatment modalities in the USA, BMC Cancer, 2017, 17:13, doi:10.1186/s12885-016-3015-5